

To: Wagner, Christine[Wagner.Christine@epa.gov]; Nonresponsive based on revised scope @tetrattech.com]; Nonresponsive based on revised scope @tetrattech.com]
Cc: Curry, John[Curry.John@epa.gov]; Alliu, Dorina[Alliu.Dorina@epa.gov]; Molnar, Adam[Molnar.Adam@epa.gov]
From: Gardner, Amber[/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=48E46759BB26430B958B3198185072B4-GARDNER, AM]
Sent: Thur 10/13/2022 3:20:25 PM (UTC)
Subject: CT9492-Shiloh Church Road Removal-Unvalidated (DRAFT) VOA by CLP Equivalent data
22009011-Shiloh Church Road Removal-VOA by CLP Equivalent-Preliminary Data.pdf

This e-mail transmits the unvalidated VOA results for SHILOH CHURCH ROAD REMOVAL , CT9492, work order 2209011.

These data are attached as a pdf file.

While we expect the final data to be the same as the unvalidated data, some minor editing may take place.

Please let me know if you have any questions.

Amber Gardner
Chemist
U.S. EPA Region 3
701 Mapes Road
Fort Meade, Maryland 20755
410-305-52526
Gardner.Amber@epa.gov